

Global Environmental Survey of Earth's History

Illustrated seminar material for the Regional and Environmental Economics master's students at John von Neumann University. Edited by Prof. Dr. István Tózsá supported by AI Gemini in 2026.



Lecture Notes for Slide 1: Introduction and Core Rationale

Welcome,
Ladies and Gentlemen, Distinguished Students
to this special seminar module titled
'Global Environmental Survey of Earth's History.'

As master's students of Regional and Environmental Economics, you might reasonably ask a fundamental question: *Why should economists spend precious seminar hours studying deep geological time, ancient atmospheric compositions, or the continental layouts of millions of years ago? We are economists, not geologists.*

The answer lies at the very heart of economic sustainability and modern resource geography. Economic development does not occur in a vacuum; it is strictly bounded and shaped by the physical limits, planetary boundaries, and historical legacies of the Earth. Every single economic asset we trade today – from the coal fields that powered the Industrial Revolution to the hydrocarbons fuelling modern supply chains, and the rare earth elements essential for the green transition—is the direct result of a highly specific, localized environmental condition that occurred millions of years ago.

By taking this macro-scale environmental journey from the fiery dawn of the Hadean Eon to the post-glacial stability of the Holocene, you will gain a simplified, yet highly scientific, understanding of planetary dynamics. This overview is designed to help you internalize how global climate forcing operates over immense timescales.

As future regional leaders and environmental economists, understanding these deep-time baselines will allow you to look past short-term market fluctuations and comprehend the true, long-term interconnectedness of the lithosphere, the atmosphere, and the global economy. Let us begin our journey by first recalibrating our human understanding of time itself.



4.6 billion years of Earth's environmental history

Human brains cannot intuitively grasp the scale of a "billion"
Understanding "A Billion" A Lucrative Job Offer?

A hypothetical Job for ambitious students:
Count \$1 billion US dollars at a rate of \$1 per second
Counting as a standard 8-hour workday

When will you complete the task?

Start at age 18

Lecture Notes for Slide 2: The Scale of Time and Big Numbers

Now that we understand why environmental history matters to an economist, we must immediately confront our first cognitive barrier: the human brain is neurobiologically unequipped to intuitively grasp huge numbers. In macroeconomics and regional development, we use terms like 'millions,' 'billions,' or even 'trillions' on a daily basis when discussing GDP, national debts, or global energy consumption. But do we comprehend the scale of these figures?

To put this into perspective before we look at the 4.6 billion years of our planet, let us engage in a simple, mathematically precise thought experiment. Imagine a highly lucrative job offer tailored for ambitious students: you are hired to simply count US dollars. You will be paid exactly one dollar per second for every dollar you count, and your contract is successfully fulfilled when you reach precisely one billion dollars.

Most people, using their everyday intuition, assume this task would take a few weeks or perhaps a couple of months. Let us look at the actual mathematical reality. If you were to count non-stop, 24 hours a day, without a single second of sleep, a break for a meal, or even a pause to take a breath, it would take you roughly 31.7 years – practically 32 years – of continuous, uninterrupted counting to reach that one billion.

But let us make this scenario realistic and compliant with modern human biology and labour regulations. Let us assume you work a standard, disciplined 8-hour shift every single day. In this case, the time required triples: it will take you exactly 95 years of daily labour. Consequently, if you enter the workforce as a young adult at age 18, you will finally count that last one-billionth dollar at the grand old age of 113. If you are exceptionally lucky and survive the process, you will have only a few days left to enjoy your hard-earned billionaire status.

We use this striking financial analogy to prepare you for the scale of today's lecture. If counting to just one billion spans generations, then Earth's 4.6-billion-year history is an unimaginably vast evolutionary arena. On this monumental timeline, the entire existence of human civilization is nothing more than a split second before midnight. Let us now turn the first page of this planet's biography and look at the Hadean Eon.


When you are 113 years old

Counting 24/7 non-stop: **~32 years**
Counting as a standard 8-hour workday:
95 years of labour.
If you start at age 18,
you will complete the task at age 113.



The Earth was born in the Solar
System **4.6 billion** years ago.

The history of humanity:



Lecture Notes for Slide 3: The Dawn of Deep Time

As you can see visually displayed here, the answer to our mathematical riddle is as shocking as it is instructive: you would be exactly 113 years old when you finally completed the task. This illustrates how poorly equipped our everyday human perception is for handling data on a scale that dictates planet-wide evolution.

This brings us directly to the physical birth of our environment. The planet we inhabit was born in the nascent Solar System exactly 4.6 billion years ago, coalescing from a massive cloud of cosmic dust and gas. If we compress this immense 4.6-billion-year timeline into a standard 12-hour clock – where the formation of the planet happens at exactly 12:00 o'clock – an incredible realization emerges regarding our own species.

On this cosmic scale, the entire history of humanity does not occupy hours, or even minutes. *Homo sapiens* only appears in the very final fraction of a second before the clock strikes midnight.

For the vast majority of its existence, the Earth operated as a dynamic, changing system completely independent of human activity. Yet, the environmental conditions established during those lonely billions of years are exactly what laid the groundwork for the modern global economy, our regional climates, and our natural resources. To understand how this stadium was built, we must now look at the first official eon of Earth's history, a period of literal fire and toxic transformation.

1. Geologic time unit (Eon / Period / Epoch)	3. Paleo-geographic map / continental layout	5. Atmospheric composition (%)	7. Dominant Flora
2. Time scale (million years ago - Ma)	4. Characteristic landscape	6. Global mean temperature (°C)	8. Dominant Fauna (Max 2 species / groups as examples)

INFORMATION STRUCTURE





Lecture Notes for Slide 4: The Analytical Framework

Before we launch into our historical survey, let us establish the systematic framework we will use to analyse every single geological era. To maintain analytical rigor – which is standard in economic and regional modelling – we will look at each eon, period, and epoch through a strictly standardized matrix of eight parameters.


First, we establish the chronological baseline: the formal **Geologic time unit** and its precise **Time scale** measured in millions of years ago, or *Mega-annum* (Ma).

Second, we analyse the spatial dimension: we look at a **Paleogeographic map** to see how the continental layout looked under a standard world projection, paired with a reconstructed **Characteristic landscape** to visualize that ancient environment.

Third, we quantify the physical parameters: we check the exact **Atmospheric composition** expressed in clear percentages – which dictates the planetary greenhouse forcing – and the resulting **Global mean temperature** contrasted against our modern 15° C baseline.

Finally, we look at the biological actors: we identify the **Dominant Flora** and **Dominant Fauna**, limiting our scope to a maximum of two representative species or groups per era.

By applying this uniform information structure to every slide, you will easily be able to compare different eras. You will see how a shift in continental positions directly alters ocean currents, how volcanic activity spikes carbon dioxide levels, and how these environmental shifts ultimately dictate the rise and fall of global ecosystems. Let us now apply this model to our first official era: the Hadean Eon.




Lecture Notes for Slide 5: The Hadean Eon – The Planetary Inferno

We now step onto the very first stage of Earth's history: the **Hadean Eon**, which began 4.6 billion years ago and lasted for an incredible **600 million years**. As we noted earlier, the name comes directly from *Hades*, the ancient Greek underworld. This is the only era in our entire syllabus that occupies just a single slide, for a very logical reason: there is no environment or life here for us to analyse. It was a completely lifeless, hostile world.

If you look at the geographic and structural parameters on the slide, you can see that the planet had a completely molten surface of glowing magma. There were no stable continents, no solid ground to stand on, and the young Earth was under a constant, heavy cosmic bombardment by meteors and asteroids. The global mean temperature was extreme, starting at well over 200 °C and slowly cooling down to around 100 °C under immense atmospheric pressure.

As environmental economists, I want you to pay close attention to the pie chart representing the atmospheric composition. This is a classic example of an extreme, unregulated **runaway greenhouse effect**. The atmosphere was a heavy, suffocating blanket dominated by **80% carbon dioxide (CO₂)**, with roughly 15% nitrogen, and the remaining 5% consisting of pure water vapour and minor volcanic gases. There was absolutely zero oxygen.

This diagram is strictly for dimensional orientation—you do not need to memorize these exact percentages for the exam. The key takeaway here is to understand the baseline: the Earth spent its first 600 million years as a toxic, boiling planetary inferno. Yet, this chaotic phase was necessary to set the physical and chemical foundations of our globe. Let us now look at the next era, spanning two slides, where the crust finally cools and the very first primitive actors appear on the stage: the Archean Eon."



Lecture Notes for Slide 6: The Archean Eon – Shaping the Physical Foundation


We now move into the **Archean Eon**, a massive stretch of deep time spanning from 4000 to 2500 million years ago. This eon represents the transition from a molten fireball to a planet with a stable physical geography.

As regional and environmental economists, this era is fundamentally important to you because this is when the structural bedrock of our modern global economy was forged. As the Earth's crust finally began to cool, the very first stable microcontinents – known as **cratons** – began to solidify. These ancient cratons exist today as the core of our modern continents, and they contain the world's richest, most concentrated deposits of gold, platinum, and diamonds.

Simultaneously, torrential rains formed vast, iron-rich oceans. These oceans were not blue, but a deep green due to the massive amounts of dissolved ferrous iron. This iron would later precipitate to form the world's largest iron ore deposits, known as Banded Iron Formations, which practically fuel the modern global steel industry today.

If you look at the atmospheric composition on the pie chart, you will see a fascinating shift. Carbon dioxide levels dropped significantly compared to the Hadean Eon, while **Nitrogen (N₂)** became the dominant gas. However, a new player emerged: **Methane (CH₄)**. Even though the global mean temperature stabilized between 30 and 55 °C, the sun at this time was actually 30% fainter than it is today.

In science, this is called the *Faint Young Sun Paradox*: why wasn't the Earth frozen solid? The answer is this precise mix of nitrogen, methane, and carbon dioxide, which acted as a powerful greenhouse thermal blanket. The sky was not blue, but a hazy orange. It was a stable but highly exotic environment. On our next slide, we will look at how the first living organisms appeared on this methane-shrouded stage.



Lecture Notes for Slide 7: The Dawn of Life and Early Tectonics

On this second slide of the Archean Eon, we look at the biological actors and the spatial layout of this ancient world. This single era lasted for **1500 million years** – an immense span of time that is nearly three times longer than the entire history of complex animal life on Earth.


If you examine the paleogeographic map in the centre, you will immediately notice how fragmented the world was. There were no large, recognizable landmasses like Eurasia or the Americas. Instead, the crust consisted of isolated, tiny islands of rock scattered across a vast, green, global ocean.

Despite the lack of oxygen, intense radiation, and constant volcanic eruptions, life emerged and dominated the planet for a billion and a half years. As listed on the slide, we focus on two primary microscopic pioneers that entirely dictated the chemistry of the early environment.

On the left, we see **Cyanobacteria**, which formed extensive **microbial mats** or *stromatolites* in shallow coastal waters. These organisms were the world's first solar-powered factories. Through primitive photosynthesis, they slowly began consuming carbon dioxide and releasing a minor, invisible byproduct: oxygen.

On the right, we find **Methanogenic Archaea**, which are **methane-producing microbes**. These specialized single-celled organisms thrived in the oxygen-free oceans, consuming hydrogen and carbon dioxide, and pumping massive amounts of methane into the sky. As we discussed on the previous slide, it was their metabolic waste product – methane – that kept the planet warm under a faint young sun.

The takeaway for environmental economists is profound: this slide proves that from the very beginning, the global atmosphere was not a static geological given, but a dynamic product of biological activity. In our next eon, the Proterozoic, these two microscopic forces will clash, triggering the greatest climate collapse in Earth's history. Let us move on to the Proterozoic Eon.



Lecture Notes for Slide 8: The Proterozoic Eon – The "Snowball Earth" Paradox

We now enter the **Proterozoic Eon**, an immense geological chapter stretching from 2500 to 539 million years ago. As future environmental economists, I want you to internalize this slide as a textbook lesson in systemic, planetary-scale market failure – except here, the actors were biological, not human.


This era is famous for the phenomenon known as '**Snowball Earth**', a catastrophic state where the entire planet froze over from the poles to the equator, with global temperatures plummeting to a bone-chilling - 50 °C. However, let us clarify a vital chronological baseline for those studying these notes independently: the Proterozoic Eon itself lasted for nearly two billion years, but the planet was *not* frozen the entire time. The extreme 'Snowball' episodes occurred as brief, intense crises lasting only a few million years each, after which the planet recovered to a global mean temperature of + 12 °C.

Crucially, you must understand that this global freeze was **not caused by astrophysical factors**. It was not triggered by a dying sun or a shift in Earth's orbital mechanics. The catalyst was purely biological.

The cyanobacteria we introduced on the previous slide were too successful. Through the Great Oxidation Event, they pumped massive amounts of Oxygen into the atmosphere. This sudden spike in oxygen reacted destructively with the atmospheric methane – the planet's ultra-strong thermal blanket – breaking it down into carbon dioxide and water. By wiping out the methane, the biosphere accidentally turned off the Earth's primary heating system.

As the ice sheets advanced from the poles down to the equator, they triggered a devastating *albedo feedback loop*: the white ice reflected 90% of the sun's remaining heat back into space, causing even more freezing.

If you look at our dual pie-chart system, you can see the result. The main atmosphere became dominated by Nitrogen and Oxygen, while the 'Other Gases' micro-universe – represented by the 1% sub-chart – shows **Carbon dioxide** dropping to a mere 5% within that sliver. This biological drawdown of greenhouse gases nearly killed the entire planet. On our next slide, we will examine the spatial configuration of this frozen world and look at the resilient organisms that somehow survived this global deep-freeze.



Lecture Notes for Slide 9: Biological Resilience and Supercontinents

On this second slide of the Proterozoic Eon, we witness the spatial layout and the revolutionary biological recovery of a world that survived the planetary deep-freeze. This single eon spanned an astronomical **2000 million years** – nearly half of the entire history of Earth.


If you look at the paleogeographic map, you will see a massive geographical transformation. The tiny, fragmented islands of the Archean had collided and merged to form dynamic supercontinents, most notably **Rodinia** and later **Pannotia**. These landmasses were clustered primarily around the equator and the Southern Hemisphere, surrounded by the immense Panthalassic Ocean. Because there were no plants on land yet, these supercontinents were barren, rocky deserts.

However, the real revolution was happening along the flooded continental shelves. How did life survive the 'Snowball' crisis? As you can see illustrated on the slide, the ancient, highly resilient **Stromatolites (Photosynthetic mats)** weathered the storm in hot volcanic springs and glacial cracks, continuing to oxygenate the water.

Simultaneously, a massive evolutionary leap occurred: the emergence of complex cells. We find **Acritarchs (Early eukaryotic algae)**, which represents the transition to complex single-celled life capable of advanced energy processing.

The climax of this 2-billion-year eon is shown on the left: the emergence of the **Ediacaran Biota**. For the first time in Earth's history, life transitioned from microscopic cells to multicellular organisms. The most famous representative is **Dickinsonia (First soft-bodied multicellular fauna)**. These bizarre, quilt-like creatures had no shells, no eyes, and no mouths; they lived anchored to the seafloor, absorbing nutrients directly through their skin.

For environmental economists, this slide marks a monumental milestone: the Earth successfully established a fully functioning, self-regulating ocean ecosystem. The lithosphere, atmosphere, and biosphere became deeply interconnected. Now that the ecological stage is fully set, we are ready to move into the Palaeozoic Era, beginning with the spectacular biological explosion of the Cambrian Period.



Lecture Notes for Slide 10: The Cambrian Period – The Economic Theatre Opens


We now enter the **Cambrian Period**, spanning from 539 to 485 million years ago. This marks the official opening of the Palaeozoic Era. For environmental economists, this period is a critical milestone: this is the moment when the modern global phosphorus and carbon cycles were fundamentally established.

Geographically, the continents were highly fragmented. The massive supercontinent of **Gondwana** was shifting in the south, while Laurentia and Siberia existed as isolated landmasses. Due to intense tectonic activity, global sea levels rose to some of the highest marks in Earth's history, creating vast, shallow, warm epicontinental seas across the equator. The global mean temperature stabilized at a tropical **21 °C**.

Look closely at the atmospheric charts. Oxygen levels hovered around 15%, but the primary economic driver of this era was the massive amount of **Carbon dioxide (CO₂)**, which was roughly **15 to 20 times higher than pre-industrial levels** (~4500 ppm). On our 2% sub-chart of 'Other Gases', Carbon dioxide commands a massive **30% share** of that micro-universe.

Why does this matter to a regional economist today? First, this ultra-high (CO₂) greenhouse environment fuelled the weathering of rocks, dumping trillions of tons of nutrients into the shallow seas. Second, this nutrient overload triggered the deposition of massive **phosphate rock deposits** (phosphorites) that we mine today in places like Morocco, China, and the United States to produce the global agricultural fertilizers that sustain modern world food security.

Furthermore, the organic carbon buried in these specific Cambrian shallow ocean basins formed the world's most ancient **oil shale and petroleum source rocks**, particularly in East Siberia and parts of North Africa. The high-greenhouse stadium was built; on the next slide, we will examine the biological actors that exploded onto this lucrative stage.



Lecture Notes for Slide 11: The Cambrian Explosion – Marine Ecosystems and Biomass

On this second slide of the Cambrian Period, we analyse the biological actors that populated the planet during this **54-million-year** epoch. For environmental economists, this is the birth of complex biological supply chains – the first time in history that energy and nutrients cascaded through a multi-tiered food web.

If you look at the paleogeographic map at 514 Ma, the Iapetus Ocean and the Panthalassic Ocean dominated the globe. The continents were barren, but the warm, shallow seas were a boiling cauldron of biological innovation, known as the 'Cambrian Explosion.'

At the base of this economic engine of nature were the primary producers. As listed, **Cyanobacteria (Photosynthetic bacteria)** and **Marine Phytoplankton (Microalgae)** captured the abundant sunlight and the immense 4500 ppm atmospheric carbon dioxide. This massive primary production created an unprecedented surplus of organic biomass.

This massive energy surplus allowed for the evolution of the world's first complex, armoured consumers. The most successful group were the **Trilobites (Paradoxides - Armoured arthropods)**. These creatures developed the first advanced compound eyes and hard, calcified exoskeletons. Because they scavenged the ocean floors by the billions, their fossilized shells became a major component of ancient marine limestones used today in the global construction and cement industries.

At the very top of this food chain swam **Anomalocaris (Apex predator)**. Reaching up to a meter in length, this giant, free-swimming arthropod was the world's first true biological super-predator.


For your upcoming seminar assignment, if you choose the '*Time-Traveling Geographer*' option, this slide is your biological checklist: if you landed in the Cambrian oceans, you would find an ecosystem rich in organic nutrients but completely lethal due to massive apex predators and a severe lack of atmospheric oxygen. Let us now move to the next period, where this marine theatre expands even further: the Ordovician.

Ordovician Period

485 – 444 Ma

From 22 °C to 12 °C

Gondwana shifts toward the South Pole. Vast shallow epicontinental seas dominate the Northern Hemisphere.



Lecture Notes for Slide 12: The Ordovician Period – The First Planetary Cooling and Extinction

We now move into the **Ordovician Period**, spanning from 485 to 444 million years ago. For environmental economists, this period is a masterclass in how rapid tectonic shifts can destabilize a high-greenhouse global economy, triggering the first of the 'Big Five' mass extinctions in Earth's history.


Geographically, the vast supercontinent of **Gondwana** made a monumental shift toward the South Pole. Meanwhile, the Northern Hemisphere remained dominated by vast, shallow epicontinental seas. Initially, the climate was tropical, with global mean temperatures around **22 °C**.

However, look closely at the atmospheric charts. Oxygen levels dropped slightly to 14%, and Carbon dioxide, while still high (~4000 ppm), began to plummet sharply toward the end of the period. On our 1.4% sub-chart of 'Other Gases', Carbon dioxide still commands a substantial **28.57% share** of that micro-universe, but its decline was fatal.

Why does this matter to an environmental economist? First, the massive expansion of early non-vascular land plants and intense volcanic weathering accelerated the drawdown of CO₂ from the sky, locking it into the lithosphere. This sudden removal of greenhouse gases caused a catastrophic climate collapse. Second, as Gondwana settled over the South Pole, this cooling trend triggered a massive glaciation event. Huge ice sheets covered the southern continent, dropping global temperatures drastically to **12 °C**.

This sudden freeze locked up the world's water, causing global sea levels to drop by over 100 meters. The shallow, warm epicontinental seas – which held nearly all of the planet's biological wealth – literally evaporated.

The economic takeaway is clear: the Ordovician shows us how a sudden contraction of environmental space (habitats) due to rapid climate change can instantly bankrupt global biological diversity, wiping out 85% of marine species. On the next slide, we will examine the unique organisms that built and suffered through this expanding marine theatre.



Lecture Notes for Slide 13: The Ordovician Biosphere – Carbon Pumps and Apex Predators


On this second slide of the Ordovician Period, we examine the biological actors driving the planet's ecosystems during this **41-million-year** timeframe. For regional and environmental economists, this era represents the massive intensification of the biological carbon pump, which fundamentally altered global geology.

Looking at the paleogeographic map at 458 Ma, the Paleo-Tethys Ocean and the Iapetus Ocean were hotbeds of biomass production. For the first time, life attempted to colonize the dry land. As listed on the left, **Green Algae (Chlorophyta)** expanded, giving rise to **Early Non-vascular Land Plants (Liverwort-like spores)**. These primitive mosses grew on damp coastal rocks. Because they lacked deep roots, they could not venture inland, but their metabolic activity accelerated the chemical weathering of rocks, pulling massive amounts of CO₂ out of the atmosphere and storing it in early soils.

In the vast oceans, primary production reached a spectacular peak. Millions of **Graptolites (Planktonic colonial organisms)** floated in the upper water column. When these colonial organisms died, they sank to the anoxic sea floors by the trillions. Their organic remains formed the thick, organic-rich **black shales** (such as the famous Kukersite deposits in the Baltic region), which today serve as vital source rocks for oil and gas exploration.

At the top of this marine economy ruled the **Orthocones (Cameroceras - Giant shelled cephalopods)**. Reaching lengths of up to 6 meters, these straight-shelled ancestors of modern squids were the absolute apex predators of the Ordovician seas.

For the *'Time-Traveling Geographer'* assignment, this slide provides crucial data: if you landed in the Middle Ordovician, the atmosphere would suffocatingly lack oxygen, the barren continents would offer nothing but slippery mosses, and the shallow waters would be patrolled by giant, heavily armoured cephalopods. Let us now move to the Silurian Period, where life finally develops vascular plumbing to conquer the dry continents.



Lecture Notes for Slide 14: The Silurian Period – Stabilization and Global Resource Bedrocks


We now step into the **Silurian Period**, spanning from 444 to 419 million years ago. For environmental economists, this period is a vital milestone of planetary stabilization. Following the severe Ordovician ice age, the global climate experienced a remarkable recovery, stabilizing at a warm, equitable 17 °C.

Geographically, this era is dominated by massive tectonic collisions. Laurentia and Baltica crashed together to form a new northern supercontinent known as **Euramerica**, often called the *Old Red Sandstone continent* due to its extensive iron-rich desert sediments. Meanwhile, Gondwana remained a massive landmass dominating the Southern Hemisphere. Because sea levels recovered and flooded the low-lying continental margins, massive, warm shallow seas spread across the globe.

Look closely at the atmospheric charts. Oxygen stabilized at 14%, and Carbon dioxide levelled off at approximately 3000 ppm. On our 1.3% sub-chart of 'Other Gases', Carbon dioxide commands a **23.08% share** of that micro-universe.

Why does this specific configuration matter to a regional economist today? First, these vast, warm, shallow Silurian epicontinental seas became the absolute hotbeds for coral reefs and salt basins. Due to intense evaporation in closed marine gulfs, the Silurian period forged the world's largest **rock salt (halite) and gypsum deposits**, heavily mined today across North America (like the Michigan and Salina basins) and Europe for the chemical, food, and construction industries.

Second, the organic accumulation in these restricted marine basins formed the major **shale gas and oil source rocks** that drive the modern energy geometry of North Africa and parts of the Middle East. The climate was stable, the stage was set, and on the next slide, we will see how the biological actors finally broke the continental barrier.



Lecture Notes for Slide 15: The Silurian Biosphere – The Conquest of Land and Marine Dynamics

On this second slide of the Silurian Period, we examine the biological actors that defined this **25-million-year** epoch. For environmental economists, this is a monumental turning point: the official transition of global biomass production from a purely marine system to the colonization of the continents.

Looking at the paleogeographic map at 425 Ma, the Rheic Ocean and the Iapetus Ocean were closing due to tectonic drift. Along these shifting coastlines, the first vascular plumbing systems evolved. As listed on the left, **Cooksonia (First vascular land plant)** and **Baragwanathia (Early clubmoss / Primitive vascular plant)** successfully colonized the shorelines. The development of internal vascular tubes allowed these plants to transport water against gravity and stand upright. This seemingly simple biological innovation completely transformed the global water cycle, dramatically increasing continental evaporation and anchoring early soils.

In the expanding marine ecosystems, a parallel revolution took place. Vertebrate evolution accelerated with **Agnatha (Jawless armoured fish)**. These armoured, heavy fish lacked movable jaws, but their bony shields protected them as they vacuumed nutrients from the ocean floor.


The undisputed rulers and apex predators of the shallow Silurian seas, however, were the **Eurypterids (Sea Scorpions)**. Reaching sizes of up to 2.5 meters in some species, these massive swimming arthropods possessed powerful pincers and specialized swimming paddles.

For the *'Time-Traveling Geographer'* assignment, this slide gives your students crucial parameters: a trip to the Late Silurian offers stable 17 °C temperatures, the first green shorelines with upright plants, but an atmosphere still dangerously low in oxygen, and coastlines heavily patrolled by predatory sea scorpions. Let us now move to the Devonian Period, where life develops deep roots and complex jaws to fully master the planet.

Devonian Period

419 – 359 Ma

Euramerica and Gondwana draw closer. "The Age of Fish". Continental interiors develop extensive river systems.



Lecture Notes for Slide 16: The Devonian Period – The Greening of Continents and Hydrocarbon Foundations


We now enter the **Devonian Period**, spanning from 419 to 359 million years ago, a critical era known traditionally as the 'Age of Fish.' For environmental and regional economists, however, this period is more accurately defined as the 'Age of Global Greening,' a phase that fundamentally restructured the planet's carbon cycle.

Geographically, the northern landmass of Euramerica and the massive southern supercontinent of **Gondwana** were drawing closer together. A crucial environmental development occurred on the continents: continental interiors developed extensive, massive **river systems** and deltaic plains. The global climate was warm and tropical, stabilizing at an equitable mean temperature of **20 °C**.

Look closely at the atmospheric composition. Due to the rapid spread of early land vegetation, Oxygen levels rose to 15%. This biological explosion acted as a massive vacuum, drawing atmospheric Carbon dioxide down from 4000 ppm to roughly 1500 ppm by the end of the period. On our 1.1% sub-chart of 'Other Gases,' Carbon dioxide commands a **13.64% share** of that micro-universe.

Why does this environmental shift heavily dictate the modern global economy? First, the rapid greening of the continents accelerated deep soil formation (pedogenesis). This intensified chemical weathering, washing massive amounts of organic nutrients into marine basins.

Second, this nutrient surge triggered massive algal blooms in restricted, stagnant ocean gulfs. The burial of this immense marine biomass under anoxic conditions forged the world's most prolific **Devonian oil and gas source rocks**. These deposits are precisely what fuels the modern energy economies of the **Urals-Volga region in Russia**, the **Williston Basin in North America**, and the massive shale formations of western Canada today. The stage was green, the oceans were rich, and on the next slide, we will meet the biological pioneers that conquered both realms.



Lecture Notes for Slide 17: The Devonian Biosphere – Deep Roots and the Evolution of Jaws


On this second slide of the Devonian Period, we explore the biological forces that defined this **60-million-year** epoch. For environmental economists, this era represents a massive structural upgrade in global biomass production and evolutionary engineering.

Looking at the paleogeographic map at 390 Ma, Euramerica and Gondwana were creating vast coastal deltas. In these wet environments, plants underwent a radical evolutionary leap. As listed on the left, **Rhynia (Early leafless land plant)** represented the primitive baseline, but it was quickly overshadowed by **Archaeopteris (First progymnosperm trees)**. This was the world's first modern tree. By developing true leaves and deep, powerful root systems, *Archaeopteris* did two things: it anchored the soil, preventing continental erosion, and it created the world's first true **forest ecosystems**, locking up carbon on an unprecedented scale.

Simultaneously, the oceans transformed. This era is defined by the rise of jawed vertebrates. At the top of the marine food web ruled the **Placoderms (Dunkleosteus - Armoured apex predator fish)**. Reaching up to 6–8 meters in length and weighing over a ton, this terrifying monster lacked true teeth; instead, it used two pairs of sharp, bony plates acting like giant meat cleavers to crush any armoured prey.

The most historic evolutionary bridge, however, is shown on the right: **Tiktaalik (Tetrapod ancestor transitioning to land)**. This unique creature possessed gills and scales like a fish, but also a flexible neck and a robust bone structure in its fins that allowed it to lift its body and crawl through shallow mudflats.

For the *'Time-Traveling Geographer'* assignment, this slide is your biological survival guide: if you chose the Devonian, you would experience a warm 20 °C climate and see the first massive forests, but you would face a dangerously low oxygen environment on land and highly lethal, heavily armored apex predators in the coastal waters. Let us now move to the Carboniferous Period, where these forests grow into a hyper-oxygenated global engine.



Lecture Notes for Slide 18: The Carboniferous Period – The Planetary Engine of Modern Industry


We now step onto the stage of the **Carboniferous Period**, spanning from 359 to 299 million years ago. For environmental and regional economists, this is arguably the most influential era in all of Earth's history. This period is the literal birthplace of the modern industrial world and global capitalism.

Geographically, the northern landmass of Euramerica and the southern supercontinent of **Gondwana** began their massive collision, a process that would eventually create Pangea. Along the equator, vast, low-lying coastal plains developed. Due to the high humidity, these zones became covered by extensive **equatorial coal swamps**. Paradoxically, while the equator was tropical, massive glaciations covered southern Gondwana, pulling the global mean temperature down to a cool **12 – 14 °C**, very similar to our modern baseline.

Look closely at the atmospheric charts. This is the **Oxygen Peak** of planet Earth. Driven by the unhindered photosynthesis of global jungle belts, atmospheric **Oxygen (O₂) skyrocketed to an incredible 35%**. Consequently, Carbon dioxide was vacuumed out of the sky, dropping to a historic low of ~3000 ppm (0.03%). On our 1% sub-chart of 'Other Gases,' Carbon dioxide commands a tiny **3% share**.

Why is this era the foundation of modern economic geography? The massive trees of these swamps lacked modern deep-tissue decomposers (like advanced fungi and bacteria). When they died, they did not rot; instead, they sank into the anoxic swamp waters and became buried under miles of sediment.

Over millions of years, this un-decomposed organic matter was compressed into the massive **hard coal seams** (anthracite and bituminous coal) that we mine today. This is the exact coal that fuelled the British Industrial Revolution, and it remains the geopolitical backbone of the heavy industries in the **Appalachian region of the US**, the **Ruhr Valley in Germany**, and the massive industrial hubs of **Silesia and China** today. The economic engine of the modern world was buried here. On the next slide, we will examine the exotic, hyper-oxygenated fauna that ruled these giant swamps.



Lecture Notes for Slide 19: The Carboniferous Biosphere – Giant Arthropods and Global Biomass


On this second slide of the Carboniferous Period, we examine the highly unique biological actors that dominated the planet during this **50-million-year** epoch. For regional and environmental economists, this era represents the absolute historical peak of terrestrial organic carbon sequestration.

Looking at the paleogeographic map at 306 Ma, the supercontinent of Pangea was nearly complete, locking the vast, humid equatorial basins into a massive, global coal-forming belt. As listed on the left, this environment was dominated by giant, non-flowering lycophytes. We find **Lepidodendron (Scale trees)** and **Calamites (Giant horsetails)**, which grew up to 30–50 meters in height. Unlike modern trees, these primitive forest giants were structurally closer to giant weeds. Their bark-heavy wood, combined with the lack of specialized fungi capable of breaking down lignin, created the unprecedented, non-decomposed biomass buildup that forged today's global coal reserves.

This dense, planet-wide jungle acting as a hyper-efficient oxygen pump triggered a spectacular evolutionary anomaly in the animal kingdom. Because insects do not have lungs but breathe passively through spiracles in their exoskeletons, the historic 35% atmospheric oxygen level allowed them to grow to monstrous sizes.

On the right, we see the rulers of this hyper-oxygenated world. On the forest floor crawled **Arthropleura (Giant millipede)**, a massive, armoured relative of modern millipedes that reached lengths of nearly 2.5 meters. In the humid skies flew **Meganeura (Giant dragonfly)**, a predatory insect with a spectacular wingspan of over 70 centimetres, making it the size of a modern eagle.

For the *'Time-Traveling Geographer'* assignment option, this slide is your absolute safety briefing: a trip to the Late Carboniferous offers a cool, manageable 12–14 °C temperature, but the atmosphere is so rich in oxygen that any spark would create catastrophic forest fires, and the landscape is heavily populated by giant, terrifying predatory arthropods. Let us now move to the Permian Period, where this humid engine completely dries up, creating a global desert.




Lecture Notes for Slide 20: The Permian Period – The Supercontinent Economy and the Great Dying

We now step onto the stage of the **Permian Period**, spanning from 299 to 252 million years ago. This period marks the dramatic finale of the Palaeozoic Era. For environmental economists, this is a monumental chapter: it demonstrates how the consolidation of global landmasses into a single market – or rather, a single supercontinent – completely alters global climate forcing and resource distribution.

Geographically, this era witnessed the formation of the ultimate supercontinent: **Pangea**, a colossal landmass stretching from pole to pole, surrounded by the infinite global ocean known as **Panthalassa**. This extreme geographical layout created severe continental climates. The lush, humid swamps of the Carboniferous rapidly dried out, replaced by hyper-arid, sweeping deserts in the vast interior of Pangea. Consequently, the global mean temperature experienced a wild ride, shifting from a cool 16 °C up to a scorching 23 °C by the end of the period.

Look closely at the atmospheric charts. Oxygen levels dropped from their historic Karbon peak back to a stable 20%. Meanwhile, intense volcanic outgassing – specifically from the catastrophic Siberian Traps eruptions – pumped massive amounts of Carbon dioxide into the sky, reaching ~2000 ppm. On our 1.2% sub-chart of 'Other Gases,' **Carbon dioxide commands a massive 16.66% share** of that micro-universe.

Why is the Permian crucial for a regional economist today? First, the extreme aridity and evaporation in Pangea's restricted maritime gulfs forged the world's richest **potash and rock salt (evaporite) deposits**, highly vital today for global agriculture and the chemical industries in Germany (Zechstein basin) and the US Permian Basin. Second, the severe greenhouse forcing and ocean acidification at the end of the Permian triggered the '**Great Dying**' – the most catastrophic mass extinction in Earth's history, wiping out 96% of marine life. The Palaeozoic stage collapsed; on the next slide, we will examine the unique biological actors that struggled to survive on this arid, unforgiving land.



Lecture Notes for Slide 21: The Permian Biosphere – Arid Adaptation and Pre-Mammalian Ancestors


On this second slide of the Permian Period, we examine the biological actors that struggled to survive during this **47-million-year** epoch. For regional and environmental economists, this era is a profound lesson in macro-evolutionary restructuring: when a global climate rapidly shifts from humid to hyper-arid, the entire biological asset base must adapt or face bankruptcy.

Looking at the paleogeographic map at 255 Ma, the massive supercontinent of Pangea acted as a giant barrier to ocean currents, forcing the continental interiors to become hot, dry deserts. In response to this water scarcity, the global flora underwent a massive transition. As listed on the left, the spore-bearing swamp giants of the Carboniferous went extinct, replaced by seed-bearing pioneers. We find **Glossopteris (Seed ferns)** and **Cordaitea (Early conifers)**. By developing robust seeds and needle-like leaves, these ancestral pine trees were able to conserve moisture and green the vast, dry inland basins of Pangea.

In the animal kingdom, this arid environment fuelled the rise of advanced land vertebrates. On the far right, we see **Scutosaurus (Armoured parareptile / Giant herbivore)**. This heavily armoured, cow-sized plant-eater possessed massive, tank-like legs to support its weight as it migrated vast distances across the Pangean deserts in search of sparse vegetation.

Hunting these herbivores was **Dimetrodon (Apex synapsid / Sail-backed carnivore)**. Often mistaken for a dinosaur, *Dimetrodon* was actually a synapsid, a primitive ancestor of modern mammals. The spectacular skin-covered sail on its back served as an elite biological thermostat, allowing the creature to rapidly warm up its blood in the chilly desert mornings or dump heat during the scorching afternoons.

For your '*Time-Traveling Geographer*' assignment option, this slide concludes the Palaeozoic era: a trip to the Late Permian offers a brutal, scorching 23 °C desert environment, an atmosphere with crashing oxygen levels, and a landscape ruled by heavily armoured reptiles and giant, sail-backed mammalian ancestors. Let us now close the book on the Palaeozoic and prepare to enter the Mesozoic Era – the Age of Dinosaurs – beginning with the Triassic Period.



Lecture Notes for Slide 22: The Triassic Period – The Dawn of the Mesozoic Greenhouse


We now cross the monumental threshold into the Mesozoic Era, beginning with the **Triassic Period**, which spanned from 252 to 201 million years ago. For environmental economists, this period represents the painful 'macroeconomic restructuring' of global ecosystems following the Permian mass extinction. The biological markets were wide open, and the evolutionary field was clear for new dominant players.

Geographically, the supercontinent of **Pangea** remained largely intact, but the first deep geological fractures began to appear. It began to show **rifting**—the structural cracking of landmasses that would eventually open the Atlantic Ocean. The **Tethys Ocean** formed a massive, warm eastern gulf cutting deep into the supercontinent. Because Pangea's sheer size blocked oceanic moisture from reaching the interior, the global climate was characterized by vast, hot, **arid interior deserts**, with staggering global mean temperatures soaring between **22 and 23 °C**.

If you examine our atmospheric charts, you can see that the Earth was locked in a hypoxic, low-oxygen state. Oxygen levels sat at 15%, while intense volcanic rifting pumped massive amounts of Carbon dioxide into the sky (~1000–1500 ppm). On our 1.1% sub-chart of 'Other Gases,' **Carbon dioxide commands a substantial 13.64% share** of that micro-universe.

Why is the Triassic environment highly relevant to a regional economist today? First, the extreme, seasonal monsoonal climates and the rifting of Pangea created vast, landlocked lacustrine basins. The organic muds deposited in these ancient Triassic rift lakes became the primary **source rocks for major petroleum and natural gas basins** today, most notably the **North Sea basins** in Europe and the rich oil fields of the **Newark Supergroup** along the eastern coast of North America.

Second, the massive evaporation in the dry Tethyan gulfs generated some of the world's most extensive **gypsum and anhydrite layers**, heavily mined today for the global construction and drywall industries. The Mesozoic greenhouse stage was set. On the next slide, we will meet the resilient biological actors that rose from the ashes of the old world to conquer this hot, dry continent.



Lecture Notes for Slide 23: The Triassic Biosphere – The Great Recovery and the Rise of Dinosaurs


On this second slide of the Triassic Period, we analyse the biological actors that repopulated the planet during this **51-million-year** timeframe. For environmental economists, this era is a fascinating study in post-crisis recovery and ecological market expansion. Following the Permian catastrophe, global ecosystems were heavily depleted, allowing opportunistic species to occupy massive biological sectors.

Looking at the paleogeographic map at 237 Ma, the massive continental shelf of Pangea was subjected to intense seasonal monsoons. In this hot, volatile climate, the flora transformed. As listed on the left, **Dicroidium (Seed ferns)** dominated the higher latitudes of Gondwana, while **Cycads (Palm-like gymnosperms)** expanded across the tropical belts. These robust, drought-resistant woody plants successfully greened the harsh, arid Pangean interior, providing a brand-new primary production baseline for terrestrial herbivores.

In the animal kingdom, this ecological vacuum led to radical evolutionary experiments. On the far right, we see **Lystrosaurus (Dicynodont survivor / Most abundant land tetrapod)**. This burrowing, tusked, pig-sized mammalian ancestor was a phenomenal survival specialist. Having survived the Permian extinction, it faced almost no competition in the Early Triassic, expanding so rapidly that it temporarily made up an astonishing 95% of all land vertebrates on Earth.

However, the future belonged to a newer startup group: the archosaurs. Hunting in these dry landscapes was **Coelophysis (Early theropod / Agile bipedal dinosaur)**. This slender, hollow-boned, bipedal carnivore was incredibly fast and agile. It represents the foundational blueprint of the theropod dinosaurs that would eventually grow into the giant apex predators of the Jurassic.

For the *'Time-Traveling Geographer'* assignment option, this slide outlines your Triassic environment: a scorching 22–23 °C world with highly seasonal monsoons, an atmosphere still dangerously low in oxygen, dominated by hardy seed ferns, millions of tusked burrowers, and the first wave of small, fast, predatory dinosaurs. Let us now move to the Jurassic Period, where Pangea fully breaks apart, turning this dry desert into a humid, giant tropical jungle.



Lecture Notes for Slide 24: The Jurassic Period – Continental Breakup and Global Source Rock Formation


We now move into the **Jurassic Period**, spanning from 201 to 145 million years ago, a golden era of planetary biomass expansion. For environmental and regional economists, this period is a spectacular demonstration of how tectonic fragmentation can fundamentally restructure global climate zones and ocean currents, creating massive wealth baselines for the modern energy sector.

Geographically, the mega-monopoly of Pangea officially fractured. The supercontinent split into a northern landmass, **Laurasia**, and a southern block, **Gondwana**. This fragmentation allowed the Central Atlantic Ocean to begin opening, forcing maritime moisture deep into previously arid desert interiors. The global climate transformed into a warm, humid greenhouse world with a global mean temperature of **16.5 °C**. Due to the lack of polar ice caps, vast, lush tropical forests expanded from the equator to the high latitudes.

If you examine our atmospheric charts, you can see that the planet successfully recovered from its hypoxic state. Oxygen levels rose to a stable 21%, matching our modern baseline. Meanwhile, intense volcanic activity along the widening ocean rifts maintained a high level of atmospheric Carbon dioxide (~1000–2000 ppm). On our 1.1% sub-chart of 'Other Gases,' **Carbon dioxide commands a substantial 13.64% share** of that micro-universe.

Why is the Jurassic environment a crucial foundation for today's global macroeconomics? The opening of the Atlantic and the widening of the **Tethys Ocean** created warm, narrow, restricted marine gulfs. Because global sea levels were high, these basins suffered from intense stratification and anoxic bottom conditions.

The massive accumulation of marine plankton buried in these specific organic-rich Jurassic muds forged the world's most prolific **hydrocarbon source rocks**. This single environmental window is precisely what generated the massive **Middle East oil fields** (such as the Hanifa and Tuwaiq Mountain formations in Saudi Arabia), the rich **North Sea oil basins** (Kimmeridge Clay), and the booming **shale oil plays of Western Siberia** today. The modern global energy architecture was literally deposited here. On the next slide, we will look at the giant biological actors that harvested this abundant, high-energy ecosystem.



Lecture Notes for Slide 25: The Jurassic Biosphere – Gigantism and Megawatt Ecosystems


On this second slide of the Jurassic Period, we examine the biological actors that dominated the planet during this **56-million-year** timeframe. For regional and environmental economists, this era represents the ultimate maximization of terrestrial energy efficiency. Due to the warm, humid greenhouse climate and high CO₂ levels, the planet functioned as a global biomass hyper-producer.

Looking at the paleogeographic map at 195 Ma, the newly opening Central Atlantic Ocean acted as a giant moisture pump, turning the continents into massive, contiguous tropical jungles. As listed on the left, the flora achieved incredible structural success. We find **Ginkgoites (Ginkgo ancestors)** and **Conifers (Araucariaceae - Ancient evergreen gymnosperms)**. These massive, towering trees formed the dense, high-canopy forests of the Mesozoic. Because they lacked modern floral competitors, they completely dominated the global carbon sequestration cycle.

This historic surplus of high-energy plant biomass triggered a spectacular evolutionary response in the animal kingdom: gigantism. On the far right, we see **Brachiosaurus (Sauropod - Giant high-browsing herbivore)**. Weighing up to 40 tons, this colossal sauropod evolved a long, crane-like neck specifically to harvest the high-canopy leaves of the Araucariaceae trees, acting as a massive biological lawnmower that consumed hundreds of kilograms of biomass daily.

Hunting these massive herbivores was **Allosaurus (Theropod - Powerful apex predator)**. Reaching lengths of 9 metres, this agile, bipedal carnivore possessed a unique, articulation-flexing skull and blade-like teeth, making it the supreme apex predator of the Jurassic ecosystems.

For your *'Time-Traveling Geographer'* assignment option, this slide defines your high-energy playground: a warm, humid 16.5 °C tropical world, a stable atmosphere with modern oxygen levels, dominated by massive evergreen conifers, and populated by the largest herbivorous and carnivorous dinosaurs to ever walk the Earth. Let us now move to the Cretaceous Period, where this greenhouse world reaches its absolute peak, and the first modern flowers completely rewrite the global landscape.



Lecture Notes for Slide 26: The Cretaceous Period
– **Extreme Greenhouse and Modern Resource Geography**

We now reach the grand finale of the Mesozoic Era: the **Cretaceous Period**, spanning from 145 to 66 million years ago. For environmental and regional economists, this is a phenomenal textbook example of a super-greenhouse world driven by intense, global-scale plate tectonics.

Geographically, the continents drifted further apart, rapidly moving into modern-like isolation. This intense seafloor spreading triggered massive submarine volcanism, which pushed global sea levels to the highest marks in Earth's history. Vast, warm, shallow **inland seaways** flooded the continental interiors (such as the Western Interior Seaway in North America). The global climate reached an extreme greenhouse peak with a mean temperature of **18 °C**, allowing lush, subtropical forests to grow even near the poles.

If you examine the atmospheric charts, you can see that Oxygen levels rose to an impressive 25%, providing a highly energetic environment. Carbon dioxide remained extremely high (~1000 ppm) due to intense volcanic outgassing. On our 1.1% sub-chart of 'Other Gases,' Carbon dioxide commands a substantial **9.09% share** of that micro-universe.

Why is the Cretaceous period arguably the absolute goldmine of modern economic geography? First, the extreme plankton productivity in these warm, flooded inland seas generated over 50% of the world's known **petroleum reserves**. This specific environmental window is exactly what formed the booming oil fields of the **Gulf of Mexico**, the massive **Athabasca oil sands in Canada**, and the rich reserves of **Venezuela** today.

Second, the massive accumulation of microscopic calcium-rich plankton (coccolithophores) on the shallow sea floors formed the legendary **global chalk deposits** (such as the White Cliffs of Dover), heavily mined today for modern industrial calcium carbonate, paper coating, and plastics. The super-greenhouse stage was set. After dinner, we will examine the biological superstars that ruled and revolutionized this high-stakes ecosystem."



Lecture Notes for Slide 27: The Cretaceous Biosphere – The Floral Revolution and Evolution's Giants


On this second slide of the Cretaceous Period, we examine the biological actors that dominated the planet during this **79-million-year** epoch. For environmental and regional economists, this era is fundamentally defined by a massive structural upgrade in terrestrial ecosystems: the 'Angiosperm Revolution,' which completely altered global nutrient cycles.

Looking at the paleogeographic map at 94 Ma, the isolating continents accelerated localized evolutionary experiments. On the left, we witness the greatest botanical revolution since the Silurian: the rise of flowering plants. We find **Archaeofructus (Early flowering angiosperm)** and **Magnoliaceae (Magnolia ancestors - Primitive woody angiosperms)**. By developing flowers and fruits, these plants utilized insects for pollination and animals for seed dispersal. This rapid reproductive cycle allowed angiosperms to outcompete ancient conifers, fundamentally transforming global soils and building the primary production baseline for modern terrestrial agriculture.

This rich, angiosperm-fuelled biomass supported some of the most specialized herbivores in history. On the right, we meet **Triceratops (Massive ceratopsian / Three-horned herbivore)**. Weighing up to 10 tons, *Triceratops* possessed a massive bony frill and three lethal horns to defend itself against the supreme predator of the era.

Hunting these mega-herbivores was **Tyrannosaurus rex (Apex dinosaur)**. Armed with a bone-crushing bite force of over 6 tons and banana-sized teeth, *T-Rex* was the absolute apex predator of the Late Cretaceous, closing out the Age of Dinosaurs with unparalleled biological efficiency.

For the 'Time-Traveling Geographer' assignment option, this slide concludes the Mesozoic Era: a trip to the Late Cretaceous offers a tropical 18 °C world, an atmosphere highly rich in oxygen, the first colourful forests with true flowers, but a landscape guarded by heavily armed horned titans and the most terrifying apex predator to ever walk the Earth. Let us now cross the boundary into the Cenozoic Era – the Age of Mammals – beginning with the Palaeocene Epoch.





Lecture Notes for Slide 28: The Palaeocene Epoch – Post-Extinction Recovery and Cenozoic Baselines

We now cross the threshold into the Cenozoic Era—the Age of Mammals—beginning with the **Palaeocene Epoch**, spanning from 66 to 56 million years ago. For environmental and regional economists, this epoch is a fascinating study in 'market vacancy.' Following the catastrophic asteroid impact that wiped out the dinosaurs, global ecological Niches were left completely empty, sparking a rapid environmental and evolutionary restructuring.

Geographically, the map shows that the continents had nearly reached their modern positions, though the Atlantic Ocean continued to widen steadily. The climate remained heavily greenhouse-driven, stabilizing at a warm global mean temperature of **18 °C**. Due to this high thermal baseline, massive, dense tropical and subtropical swamp forests covered the globe, stretching even into high-latitude regional zones.

If you examine our dual pie-chart system, you will see that the atmosphere remained highly energetic. Oxygen stood at a stable 21%, while Carbon dioxide hovered around 500 ppm. On our 1.05% sub-chart of 'Other Gases' – which we have standardized to a 100% internal view – **Argon commands a dominant 88.57%**, while **Carbon dioxide occupies 4.76%** of this micro-universe.

Why is the Palaeocene crucial for an environmental economist today? The intense proliferation of these dense, post-extinction swamp forests captured immense amounts of carbon. In regional basins where tectonic sinking occurred, the burial of these Palaeocene jungles forged some of the world's most vital **lignite and sub-bituminous coal deposits**. These resources are precisely what drove the 20th-century energy independent growth of the **North American Great Plains (such as the Fort Union Formation)** and massive thermal coal basins in Colombia today. The evolutionary matrix was reset, and the stage was green. On the next slide, we will meet the primitive mammalian startups that rushed to colonize this new world.

Angiosperms (Early deciduous trees - seasonal shedding flora)			Placental Mammals (Primitive mammals - rapid evolutionary startups)
			
Palaeocene Wetland (Dense swamp forest – massive carbon sink)	Teleostei (Modern bony fishes – marine adaptive radiation)	Gastornis (Giant flightless bird – Apex land predator)	10 million years

Lecture Notes for Slide 29: The Palaeocene Biosphere – Biological Startups and Ecosystem Reset (Final Version)

On this second slide of the Palaeocene Epoch, we explore the biological actors that colonized the planet during this **10-million-year** transition. For regional and environmental economists, this era represents the ultimate template of asset-class replacement: the old monopoly (the dinosaurs) was liquidated, allowing agile, small-scale biological startups to quickly capture the global market.

Initially, because there were no large herbivores to graze the vegetation, dense, unhindered forests exploded across the continents. As listed on the left, **Angiosperms (Early deciduous trees - Seasonal shedding flora)** achieved massive dominance. As seen in the **Palaeocene Wetland (Dense swamp forest - Massive carbon sink)** on the bottom left, these forests began to include the ancestors of modern oaks, walnuts, and chestnuts. Their seasonal leaf-shedding completely restructured the global soil biochemistry, accelerating nutrient cycling and creating rich, fertile topsoils.

In the expanding oceans, a parallel restructuring occurred. With the giant Mesozoic marine reptiles gone, the seas witnessed the massive expansion of **Teleostei (Modern bony fishes - Marine adaptive radiation)**, which quickly built the foundations of our modern marine food webs and today's global fishing economy. On land, mammals underwent an unprecedented evolutionary boom. As shown on the top right, **Placental Mammals (Primitive mammals - Rapid evolutionary startups)** began to diversify into the ancestors of modern rodents, primates, and hoofed herbivores.

Paradoxically, the immediate apex land predators of the Early Palaeocene were not mammals, but birds. On the bottom right, we see **Gastornis (Giant flightless bird - Apex land predator)**. Standing over two meters tall, with a massive, bone-crushing beak, this flightless avian giant stepped directly into the vacant ecological slot left by the theropod dinosaurs.

For the *'Time-Traveling Geographer'* assignment option, this slide defines your post-apocalyptic baseline: a warm 18 °C greenhouse world, an atmosphere rich in oxygen but dense with tropical moisture, a landscape covered in trackless deciduous jungles, populated by rapidly evolving primitive mammals, and ruled by giant, terrifying predatory birds. Let us now move to the Eocene Epoch, where the thermal engine of the planet hits its absolute maximum.



Lecture Notes for Slide 30: The Eocene Epoch – The Ultimate Greenhouse and Regional Resource Foundations


We now step onto the stage of the **Eocene Epoch**, which spanned from 56 to 33.9 million years ago. For regional and environmental economists, this is a phenomenal textbook era: it marks the absolute thermal maximum of the entire Cenozoic Era, driven by an intense planetary greenhouse event known as the *Paleocene-Eocene Thermal Maximum (PETM)*.

Geographically, the planet was undergoing a massive structural transformation. India was moving rapidly northwards, colliding with Asia to initiate the uplift of the Himalayas. Antarctica and Australia still remained connected, preventing the formation of cold southern ocean currents. Because there were absolutely no polar ice caps, global sea levels reached extreme heights, creating vast, flooded lowlands and warm **swamp forests globally**. The global mean temperature peaked at a tropical **24 °C**, allowing palm trees and mangroves to thrive even inside the Arctic Circle.

Look closely at the atmospheric charts. Oxygen sat at a stable 21%, but Carbon dioxide peaked heavily at around 800 ppm before beginning a very slow, long-term decline. On our 1% sub-chart of 'Other Gases' – viewed internally at 100% – **Argon commands 86.11%**, while **Carbon dioxide occupies 7.41%** of this micro-universe.

Why is the Eocene environment fundamentally critical to the economic geography of Central Europe and Hungary today? The massive, continuous accumulation of biomass in these warm, subtropical Eocene coastal swamps occurred in rapidly sinking tectonic basins. Because these dense jungles were buried under layers of marine sediment before they could decay, they were compressed over millions of years into rich **brown coal (lignite) seams**.

This specific environmental window is precisely what formed the massive **Eocene coal basins of Hungary**, which historically powered the industrialization of the Transdanubian region, including the mining centres of **Tatabánya, Dorog, and Oroszlány**. The high-greenhouse stadium was built, and the energy assets of the future were locked in place. On the next slide, we will examine the unique biological actors that populated this steaming, global jungle.



Lecture Notes for Slide 31: The Eocene Biosphere – Coal-Forming Forests and Marine Micro-Architects

On this second slide of the Eocene Epoch, we analyse the highly unique biological actors that dominated the planet during this **22-million-year** timeframe. For regional and environmental economists, this era represents the absolute global peak of Cenozoic terrestrial and marine biomass accumulation.

Looking at the paleogeographic map at 50.2 Ma, global sea levels were so high that a massive seaway, the Turgai Strait, separated Europe from Asia, and the precursors of Europe existed as a warm, subtropical archipelago. As listed on the left, this incredibly humid environment fuelled the expansion of massive swamp forests. We find **Metasequoia (Dawn redwood – massive coal formers)** and **Nypa (Mangrove palms)**. *Metasequoia* grew rapidly in dense, monocultural stands across global wetlands. Because these gigantic trees generated massive amounts of organic litter that accumulated in oxygen-poor, waterlogged acidic basins, their wood became the primary material that forged today's extensive brown coal reserves across Central Europe.

Simultaneously, a parallel biological revolution occurred in the warm, shallow epicontinental seas. As shown in the third image, millions of **Nummulites (Giant single-celled foraminifera)** flourished on the ocean floors. Despite being single-celled organisms, they grew up to several centimetres in size, building intricate, coin-shaped calcium-carbonate shells. When they died, their shells accumulated by the trillions, forming the thick, industrial-grade **Nummulitic limestones** that build the bedrock of the **Hungarian Transdanubian Mountains (Gerecse, Bakony)** and were famously used to quarry the stone blocks for the **Egyptian Pyramids**.

On land, mammal evolution took a historic leap with **Hyracotherium (Dawn horse)**. This tiny, dog-sized ancestral horse possessed three to four toes adapted for scampering through the soft, muddy floors of the dense Eocene jungles.

For your *'Time-Traveling Geographer'* assignment option, this slide outlines your Eocene environment: a steaming, hyper-tropical 24 °C jungle, a stable atmosphere with modern oxygen levels, trackless *Metasequoia* swamps, oceans ruled by massive shelled single-celled organisms, and forested paths populated by the miniature ancestors of modern horses. Let us now move to the Oligocene Epoch, where this global greenhouse hits a catastrophic cooling wall.




Lecture Notes for Slide 32: The Oligocene Epoch – The Great Icehouse Transition and Ocean Circulation

We now enter the **Oligocene Epoch**, which spanned from 33.9 to 23 million years ago. For regional and environmental economists, this is a crucially instructive era: it represents the dramatic collapse of the global Eocene greenhouse engine and the birth of our modern, cold-driven ocean circulation architecture.

Geographically, the planet experienced a monumental tectonic event. **Antarctica separated from South America, opening the Drake Passage.** This seemingly small geographic isolation allowed the freezing Southern Ocean waters to encircle the south pole continuously, creating the powerful **Antarctic Circumpolar Current**. This current acted as a massive global thermal barrier, completely cutting off Antarctica from equatorial warm waters. As a direct result, a massive permanent ice sheet locked over the southern continent, triggering rapid, irreversible global cooling. The global mean temperature plummeted drastically to a cool 12 °C.

Look closely at the atmospheric charts. Oxygen remained stable at 21%, but Carbon dioxide levels experienced a sharp drop to roughly 400 ppm, as the newly expanding polar ice sheets and cooler oceans absorbed carbon out of the sky. On our 1% sub-chart of 'Other Gases'—viewed internally at 100%—**Argon commands 89.42%**, while **Carbon dioxide drops to 3.85%** of this micro-universe.

Why is the Oligocene environment highly relevant to an environmental economist today? This massive drop in global temperatures and CO₂ levels completely altered regional biomass distribution. The vast, humid, tropical coal-swamps of the Eocene collapsed globally. They were replaced by cooler, seasonal forest ecosystems and early open woodlands. This structural shift in planetary moisture levels laid the foundation for the expansion of major **modern mid-latitude soil systems**, which are the literal bedrock of modern global grain and agricultural production today. The planetary thermostat was permanently turned down. On the next slide, we will examine the unique mammalian giants that evolved to master this newly expanding, open landscape.



Lecture Notes for Slide 33: The Oligocene Biosphere – The Rise of Grasslands and Megafaunal Giants


On this second slide of the Oligocene Epoch, we examine the biological actors that adapted to a cooling planet during this **11-million-year** timeframe. For regional and environmental economists, this era represents the structural reorganization of global ecosystems – the historic transition from dense, closed tropical jungles to open, competitive terrains.

As global temperatures dropped to 12 °C, the planet's flora underwent a profound revolution. As listed on the left, we witness the emergence of **Early Poaceae (First true grasses)** and the expansion of **Fagus (Beech forests)**. While beech forests replaced the tropical canopy in the mid-latitudes, the rise of the *Poaceae* family was a global gamechanger. Grasses are incredibly resilient; they grow from the base rather than the tip, allowing them to survive heavy grazing, arid conditions, and seasonal fires. This evolutionary breakthrough initiated the formation of the world's first open grasslands.

This floral restructuring divided the land into two distinct zones. On the bottom left, **Oligocene Refugia (Dense subtropical pockets - Disappearing greenhouse biomes)** served as the final, isolated sanctuaries for ancient, moisture-loving flora and fauna. Conversely, across the vast interiors, as shown on the bottom right, the **Indricotheriinae Habitat (Open woodland savanna - Central Asian biomes)** became the new evolutionary engine.

In these open woodland savannas, mammal evolution responded to the open space with extreme size. On the far right, we find **Paraceratherium (Indricotherium - largest land mammal)**. Standing over 5 meters tall at the shoulder and weighing up to 15 tons, this hornless, long-necked rhinoceros relative evolved to browse the high branches of open savannas, representing the absolute peak of mammalian gigantism. Smaller niches were filled by highly adaptable startups like **Eomys (Early rodents)**, the ancestors of modern mice and squirrels.

For your *'Time-Traveling Geographer'* assignment option, this slide provides your Oligocene survival matrix: a cool 12 °C climate, an atmosphere rich in oxygen, a landscape opening up into early grasslands and beech forests, populated by rapidly multiplying rodents, and dominated by the largest land mammals to ever walk the Earth. Let us now move to the Miocene Epoch, where these grasslands sweep the globe, and the modern geography of Europe begins to freeze into place.




Lecture Notes for Slide 34: The Miocene Epoch – Mountain Building and Central European Mineral Wealth

We now enter the **Miocene Epoch**, a crucial chapter running from 23 to 5.33 million years ago. For environmental and regional economists, this epoch is highly significant: it is the primary geological engine that forged the structural topography, drainage networks, and mineral wealth of Central Europe and Hungary.

Geographically, this era was dominated by the **main phase of the Alpine-Himalayan orogeny**. As Africa and India continued to crash into Eurasia, they buckled the crust, uplifting the Alps, the Carpathians, and the Himalayas. This violent tectonic squeeze isolated a massive northern branch of the ancient ocean, creating the **Para-Tethys Sea in Central Europe**. Over millions of years, the gradual shrinking of the Para-Tethys and the subduction of the Carpathian arc led to the **emergence of the Pannonian basin**. The global climate stabilized at a comfortable, modern-like mean temperature of 14 °C.

Look closely at the atmospheric charts. Oxygen sat at our modern 21%, while Carbon dioxide continued its steady decline, levelling off near pre-industrial figures (~250–350 ppm). On our 1% sub-chart of 'Other Gases' – viewed internally at 100% – **Argon commands 90.29%**, while **Carbon dioxide drops to a minor 2.91%** of this micro-universe.

Why is the Miocene epoch a absolute strategic goldmine for regional economics in Central Europe today? First, the heavy volcanic activity along the rising Carpathian mountain arc generated the massive **non-ferrous metal, polymetallic ore, and gold deposits** historically mined across the region (such as the Ore Mountains of Slovakia and northern Hungary). Second, as the Para-Tethys Sea dried out into isolated, hyper-saline lagoons, it generated the enormous **rock salt (halite) and gypsum beds** that drive the modern salt extraction industries of Poland (Wieliczka), Ukraine, and Romania (Praid) today. Third, the thick marine sediments deposited in the sinking Pannonian basin formed the critical **natural gas and crude oil reservoirs** found today in southern Hungary and Croatia. The local regional stage was set. On the next slide, we will meet the iconic Miocene mammals that grazed these newly formed hills.



Lecture Notes for Slide 35: The Miocene Biosphere – The Global Savanna Revolution and Grassland Grazers


On this second slide of the Miocene Epoch, we explore the biological forces that completely restructured the face of the continents during this **18-million-year** timeframe. For regional and environmental economists, this era represents the birth of the modern global agricultural zones and the expansion of the high-efficiency open pasture lands.

As global temperatures settled at 14 °C and continental interiors dried further due to mountain building, the planet's flora underwent its most dramatic transition since the Cretaceous. As listed on the left, we witness the absolute expansion of **Poaceae (Savannas)**, while closed forests retreated to river valleys, dominated by hardy genera like **Quercus (Oak genus)**. The explosion of **Poaceae** was not just a botanical event; it was a global savanna revolution. Grasses expanded to cover the interior of North America, Eurasia, and Africa, creating massive, high-yield grazing biomes that today serve as the world's primary agricultural and grain-producing belts (such as the American Midwest or the Eurasian Steppe).

In the animal kingdom, this expansion of tough, silica-rich grass pushed mammals to develop an entirely new technological upgrade: high-crowned teeth (*hypsodonty*) to handle the heavy abrasive wear of grazing.

On the right, we see the evolutionary winners of this grassland economy. The open plains were populated by massive herds of **Hipparion (Three-toed ancestral horse)**. These slender, three-toed ancestors of the modern horse possessed specialized teeth and elongated legs designed for high-speed evasion across the open, trackless savannas. Browsing along the forested river edges was **Deinotherium (Giant hoe-tusked proboscidean)**. This colossal elephant relative was easily distinguished by its unique, downward-curving lower tusks, which it utilized like a massive biological hoe to strip bark from oak trees or dig for nutritious roots.

For the 'Time-Traveling Geographer' assignment option, this slide provides your Miocene checklist: a highly comfortable 14 °C temperate climate, an atmosphere fully rich in oxygen, a modern-looking landscape opening into vast oak savannas, populated by early ancestral horses, and patrolled by giant, hoe-tusked mammalian megafauna. Let us now move to the Pliocene Epoch, where these grasslands begin to witness the very first steps of our own evolutionary lineage.



Lecture Notes for Slide 36: The Pliocene Epoch – The Closing of Panama and the Modern Climate Blueprint

We now step onto the stage of the **Pliocene Epoch**, a relatively short but incredibly dynamic geological chapter spanning from 5.33 to 2.58 million years ago. For environmental and regional economists, this epoch is critically important: it represents the final structural tightening of the global climate system into the exact blueprint we inhabit today.

Geographically, the map indicates that the continents had successfully **reached their modern positions**. However, a monumental, world-changing tectonic event occurred in the Americas: the **Isthmus of Panama closed**. This newly formed land bridge connected North and South America, blocking the ancient tropical gateway between the Atlantic and Pacific Oceans.

This single geographic barrier completely re-routed global ocean circulation, forcing warm equatorial waters northwards to create the modern **Gulf Stream**. The Gulf Stream pumped moisture to the northern latitudes, initiating the formation of the Arctic ice cap and pushing the global mean temperature down to a cool, crisp **13.5 °C**.

Look closely at the atmospheric charts. Oxygen sat perfectly at 21%, while Carbon dioxide continued its steady environmental decline (~350–400 ppm), mirroring early modern figures. On our 1% sub-chart of 'Other Gases' – viewed internally at 100% – **Argon commands 89.86%**, while **Carbon dioxide occupies 3.38%** of this micro-universe.

Why is the Pliocene epoch highly relevant to a regional economist today? The closing of Panama triggered a massive ecological event known as the *Great American Biotic Interchange*, where animal and plant assets migrated across the new land bridge, completely restructuring the agricultural and economic biomass capacity of the Americas.

Simultaneously, the drying and cooling of East Africa – caused by these global current shifts – began to fragment the dense African rainforests into open, grassy savannas. This specific environmental forcing is exactly what forced early hominids out of the trees, setting the stage for human evolution. The modern world was structurally locked. On the next slide, we will meet the biological pioneers that took the very first steps across this open, modernizing landscape.



Lecture Notes for Slide 36: The Pliocene Biosphere – Hominid Beginnings and Megafaunal Highways


On this second slide of the Pliocene Epoch, we examine the biological forces that defined this **2.7-million-year** timeframe. For regional and environmental economists, this era represents the crucial evolutionary transition toward the modern biosphere, driven heavily by the global expansion of open habitats.

As global temperatures dropped to 13.5 °C, the landscape experienced deep fragmentation. As listed on the left, **Steppe vegetation** expanded rapidly across the mid-latitudes, replacing old forest networks with endless horizons of cold, dry grasslands. Concurrently, as seen in the **Pliocene Savanna (Open grassland - Diverse mammalian biome)** on the bottom left, warm-temperate plains became the centres of animal biomass production.

This floral transition divided the animal kingdom into specialized groups. Along the remaining river valleys and woodlands, we find **Anancus (Gomphotheres proboscidean - Woodland survivor)**, a highly specialized, long-tusked elephant relative. Out on the open, cold steppes, as shown on the bottom right, massive herds of **Zygolophodon (Mastodon genus - Megafaunal grazer)** migrated over vast distances, defining the mammoth-steppe networks of Eurasia and North America.

The most historic evolutionary event, however, took place in the drying rift valleys of East Africa, shown on the top right. The shrinking of the tropical rainforests forced a specific lineage of primates to adapt to the ground. We witness the rise of **Australopithecus (Early hominids)**. By transitioning to obligate bipedalism – walking upright on two legs – our earliest ancestors drastically reduced their solar heat exposure on the open savanna and – freed up their hands to use primitive tools. This single anatomical adaptation is the direct origin of human economic labour.

For the *'Time-Traveling Geographer'* assignment option, this slide marks your final evolutionary checkpoint: a comfortable 13.5 °C climate, an atmosphere identical to modern oxygen levels, vast, sweeping steppes and savannas, populated by giant mastodons, and shared with the very first upright-walking ancestors of humanity. Let us now leave the Tertiary Era behind and enter the Quaternary Period, where the planet hits the icy wall of the Pleistocene glaciations.



Lecture Notes for Slide 38: The Pleistocene Epoch – The Quaternary Icehouse and Orbital Forcing


We now cross the final major chronological threshold into the Quaternary Period, beginning with the **Pleistocene Epoch**, which spanned from 2.58 million years ago to just 11,700 years ago. For environmental economists, this epoch is a critical laboratory: it shows us a planet operating under intense, natural cyclic instability, providing the ultimate baseline to understand modern climate physics before human industrialization.

Geographically, the **modern continental layout** was fully established. However, the defining environmental characteristic of this era was the presence of **massive continental ice sheets** that repeatedly advanced and retreated across Europe and North America, burying areas like present-day New York, London, and northern Hungary under miles of ice.

This era was mathematically **characterized by repeated Glacial-Interglacial cycles**, driven by orbital variations known as **Milankovitch cycles**. These long-term changes in Earth's eccentricity, axial tilt, and precession periodically altered the distribution of solar energy, forcing the global mean temperature to oscillate violently between a freezing 9 °C during glacial peaks and a milder 14 °C during warm interglacial (like the Eemian).

Look closely at the atmospheric charts. Oxygen sat at our modern 21%. Carbon dioxide tracked the glacial cycles perfectly, plummeting to a dangerous low of ~180 ppm during maximum freezes and rising to ~280 ppm during warm spikes, averaging out around 230 ppm. On our 1% sub-chart of 'Other Gases' – viewed internally at 100% – **Argon commands 90.91%**, while **Carbon dioxide drops to a minor 2.25%** of this micro-universe.

Why is the Pleistocene epoch a crucial study for a regional economist today? First, the massive sea-level drops (up to 120 metres) during glacial phases exposed vast land bridges, completely altering early human migration routes and geography. Second, the grinding force of the advancing glaciers pulverized the underlying bedrock, depositing millions of square kilometres of nutrient-rich **loess blankets** across Central Europe (including the Hungarian plains) and the American Midwest. This loess is precisely what forms the ultra-fertile **chernozem and dark soils** that drive modern global agricultural grain wealth today. The cyclic icehouse stage was set. On the next slide, we will examine the legendary megafauna and early human startups that evolved to conquer this frozen world.



Lecture Notes for Slide 39: The Pleistocene Biosphere – The Mammoth Steppe and Hominid Competitors


On this second slide of the Pleistocene Epoch, we examine the highly unique biological actors that conquered the northern hemisphere during this massive **2.5-million-year** frozen era. For regional and environmental economists, this is the birth of high-latitude human geography and resource utilization under extreme environmental constraints.

Looking at the paleogeographic map at the Last Glacial Maximum (18,000 Ma), sea levels were so low that a massive grassland highway, the Bering Land Bridge, connected Asia with North America. As listed on the left, the flora adapted by forming a brand-new, hyper-efficient ecosystem known as the 'Mammoth Steppe'. We find **Artemisia (Steppe tundra)** dominating the open, windy plains, while trees retreated into protected pockets, specifically **Pinus sylvestris (Scots pine in refugia)**. This nutrient-rich tundra-grassland was highly unique: despite the freezing temperatures, it supported an immense density of animal biomass.

On the right, we see the megafaunal engines that harvested this grassland wealth. The landscape was dominated by **Mammuthus primigenius (Woolly mammoth)**. These shaggy giants possessed specialized curved tusks to shovel snow away from the nutrient-rich *Artemisia* grasses, acting as massive biological bulldozers that kept the steppe open and prevented the expansion of sterile forests.

Crucially, this frozen theatre witnessed an intense competitive race between human lineages. On the far right, we meet **Homo neanderthalensis (Neanderthal man - Extinct hominid cousin)**. Far from being primitive cavemen, our Neanderthal cousins possessed large brains, manufactured complex stone tools, wore tailored fur clothing, and were apex megafaunal hunters perfectly adapted to the European glacial climate.

For your 'Time-Traveling Geographer' assignment option, this slide is your final deep-freeze survival manual: a trip to the Late Pleistocene offers a freezing 9 °C glacial environment, a crisp atmosphere rich in oxygen, endless horizons of windy steppe-tundra, shared with massive woolly mammoths, and patrolled by intelligent, heavily-muscled Neanderthal human cousins. Let us now move to our final epoch, where the ice retreats and human civilization completely take over the planet: the Holocene.



Lecture Notes for Slide 40: The Holocene and the Anthropocene – The Age of Economic Acceleration

We now arrive at the final chronological chapter of our planetary journey: the **Holocene Epoch**, which began exactly 11,700 years ago following the retreat of the last Pleistocene ice sheets. For environmental economists, this short epoch is the absolute baseline of all human economic history. It represents a brief, unique window of **post-glacial stabilization** that allowed our species to transition from nomadic hunting to global economic dominance.


Geographically, the planet settled into its **modern configuration**. The global climate shifted out of the ice age, warming steadily **from 14.5 to 15 °C**. This unusually stable, warm climate profile allowed for the **rise of human agriculture, urbanization, and the Anthropocene**. For the first 10,000 years, human activity operated within safe planetary boundaries, utilizing the stable climate to build the foundations of regional trade and early empires.

However, look closely at our dual sub-chart system, which highlights the industrial breaking point. If you look at the '**Early**' **Holocene** sub-chart (representing the pre-industrial era), Carbon dioxide occupied a safe **2.8%** of the trace-gas micro-universe (~280 ppm).

Now, look at the '**Modern**' **Holocene** sub-chart, which captures our present-day situation. In a split second of geological time – driven by the industrial revolution and the burning of fossil fuels – atmospheric Carbon dioxide has skyrocketed to occupy a massive **4.2% share** of that same micro-universe (~420 ppm).

This unprecedented spike is why scientists now define our current era as the **Anthropocene** – the age where human economic activity has become the dominant driver of global climate forcing, overriding natural Milankovitch cycles.

The economic takeaway is profound: the Holocene proves that global economic growth was only possible because the Earth provided a highly stable, predictable environmental infrastructure. By pushing the CO₂ concentration from 2.8% to 4.2% within the trace-gas layer, the global industrial economy is now actively modifying the planetary greenhouse engine. On our final slides, we will examine the modern biological landscape and outline the innovative seminar assignments that will challenge you to apply this deep-time knowledge to modern resource modelling.



Lecture Notes for Slide 41: The Holocene Biosphere – The Macroeconomic Monopoly of Mankind (Final Version)


On this second slide of the Holocene Epoch, we examine the modern biological landscape during this brief **11,700-year** window. For regional and environmental economists, this slide represents the ultimate configuration of global resource domination: the complete monopolization of planetary biomass by a single species.

Looking at the paleogeographic map of the *Modern World*, the layout is fully identical to our everyday atlas. However, look at how human economic needs have completely rewritten the flora and fauna of the globe. As listed on the left, natural forests like **Fagus sylvatica (European beech)** have been heavily fragmented to make way for global monocultural agriculture. The undisputed botanical ruler of the Anthropocene is **Triticum aestivum (Common wheat - Anthropocene dominance)**. Together with corn and rice, these engineered grasses now monopolize billions of hectares of land, entirely restructuring the global nitrogen, phosphorus, and water cycles to feed the world's commercial supply chains.

A parallel, staggering distortion has occurred in the animal kingdom. As shown on the right, wild megafauna has been fundamentally **replaced by Domestic animals (Livestock dominance - Replacing 96% of wild mammal biomass)**. Today, if we look at the total weight of all land mammals on Earth, humans and our domesticated livestock (cattle, pigs, sheep) command an unbelievable 96% of the total biomass. Wild mammals have been marginalized to a mere 4%.

At the absolute apex of this global production network stands **Homo sapiens (Global macroeconomic monopoly / Ultimate ecological changer)**. In a fraction of a second in deep geological time, our species transitioned from tool-using hominids to a global geophysical force capable of mining the deep carbon reserves of the Carboniferous and modifying the atmospheric chemistry of the Holocene.

For your upcoming seminar project, this slide concludes our analytical history: you are now fully equipped with the deep-time parameters of our planet. Let us now move to the final slides of our syllabus, where we outline the formal guidelines for your assignment options and complete this macro-environmental survey.



Lecture Notes for Slide 42: Macro-Scale Chronology – The Asymmetry of Earth's Habitability

Before we pivot to your seminar assignment guidelines, let us review this critical synthesis slide. As future regional leaders and environmental economists, you must look past human-centric time scales and comprehend the deep structural asymmetry of our planet's environmental baseline.

There is a widespread public misconception that the Earth has always been a lush, stable 'blue marble' perfectly tailored for biological life. This diagram shatters that illusion using hard mathematical proportions. If you examine the geological time breakdown on the right, you will notice that the **Phanerozoic Eon** – the entire era of complex plant and animal life, spanning from the Cambrian explosion to this very room – represents a mere **12% fraction** of Earth's biography.

For the remaining **88% of its existence** – spanning the Hadean, Archean, and Proterozoic Eons – the Earth operated as a hyper-hostile, alien environment. For over two billion years, the planet was a toxic, suffocating world dominated by greenhouse gases, high temperatures, or catastrophic global freezes. It was structurally closer to modern Venus or Mars than the world we know today.

As economists, you must internalize this profound lesson: environmental stability is an exceptionally rare, highly fragile anomaly in planetary history. The comfortable Holocene climate that allowed human agriculture and global supply chains to flourish is a microscopic sliver on this chart.

Understanding this immense time debt helps us realize that natural resources are not static givens; they are the premium products of a 4.6-billion-year macro-environmental factory that spent most of its operation time just cooling down the stage. Let us now use this systemic perspective to review the innovative project options for your final seminar evaluation.

OPTIONS

Assignment Guidelines

1. The Time-Traveling Geographer

Where you have to calculate and design the protective tools, masks and clothes to survive when visiting as time travellers one of the ancient eons, periods or epoch on the geographical location of today's Budapest or your home-town.

2. The Paleoclimate Investor

Where depending on the environmental conditions of a freely chosen global eon, period or epoch, you – as a visitor from the future -- have to design an investment of global ecological and environmental importance for a colony of human time travellers.



3. The Anthropocene Courtroom

Where you are supposed to reason how the environments and related resource-creation of Earth's geological past influence today's global geopolitical conflicts.



Lecture Notes for Slide 43: Assignment Guidelines and Anti-AI Defence Protocol

Now, ladies and gentlemen, we arrive at the formal evaluation framework for this master's seminar course. As advanced students of Regional and Environmental Economics, you are given the academic freedom to choose your own intellectual path. You must select exactly **one of the three innovative options** displayed on this slide.

Let us be completely transparent regarding the rules of engagement. I am fully aware that we live in the era of advanced generative Artificial Intelligence. If you believe you can simply copy and paste these prompts into an AI, generate a text, and submit it for a grade, you are mistaken. To ensure genuine knowledge calibration and critical thinking, this course implements a strict, multi-tiered submission policy.


Your assignment consists of **two mandatory elements**:

1. **The Research Paper:** You must submit a rigorous, deeply analysed paper with a maximum length of **5 pages** (excluding illustrations, paleo maps, and bibliography). Your paper must combine hard atmospheric percentages and temperature baselines from our database with sound economic or adaptive logic.
2. **The Seminar Presentation:** You must design and deliver a professional classroom presentation consisting of **a minimum of 5 structured slides**.

Every student will be required to stand before this seminar group and orally present their project, followed by a rigorous Q&A defence session. Even if you utilize AI assistants to structure your baseline text, the presentation requirement forces you to master the material, defend your logic, and demonstrate genuine rhetorical ownership of your data.

You have three pathways to choose from:

- **Option 1: The Time-Traveling Geographer** – Design a highly scientific protective gear and life-support survival system tailored to the specific atmospheric and biological conditions of the chosen era, anchored exactly on the geographical coordinates of modern-day Budapest or your hometown.
- **Option 2: The Paleoclimate Investor** – Model a long-term, ecologically vital macroeconomic or infrastructural investment project for a colony of human time travellers, fully adapted to the environmental constraints and resource networks of your chosen era.
- **Option 3: The Anthropocene Courtroom** – Construct a geopolitical and resource-economic legal argument demonstrating how a specific geological event in Earth's past – such as Carboniferous or Eocene coal formation – directly dictates today's sovereign global resource conflicts.



Lecture Notes for Slide 44: Epilogue – The Future Earth and Academic Credits

As we conclude this macro-environmental survey, let us take one final, fascinating step beyond the boundaries of our syllabus. We have spent this semester traveling billions of years into the deep geological past. However, as regional economists and geographers, we must understand that tectonic and climate forces do not stop with the Holocene or the Anthropocene. The planetary machinery continues to run.

If you look at the projections displayed on this final slide, you can observe the future geometry of our globe. In the following 50 million years, Africa will collide with Europe, completely closing the Mediterranean Sea and uplifting a massive new mountain range. In 150 million years, the Atlantic Ocean will begin to close, and by **250 million years into the future**, the continents will once again merge into a singular, colossal global landmass known as **Pangea Ultima**. The planetary cycles will reset, completely transforming the economic and regional geography of the distant future.

This entire global journey was made visually possible through two primary, world-renowned academic and artistic baselines, which I require you to officially include and cite in your final assignment bibliographies.

First, the highly rigorous, standardized paleogeographic maps and future continental projections used throughout this entire lecture sequence are the direct property and result of **The PALEOMAP Project, developed by Professor Christopher R. Scotese**. His lifelong work remains the absolute gold standard in international paleogeography.

Second, the beautiful, nostalgic, yet highly scientific environmental landscape reconstructions that provided the background for our eras were painted by the legendary Czech paleo-artist **Zdeněk Burian**. His unmatched ability to combine geological data with artistic genius is what allowed us to realistically visualize these long-lost worlds.

Ladies and gentlemen, the physical stadium of our planet is dynamic, fragile, and bound by deep-time cycles. Your task now is to select your project option, master the data, and prepare your classroom presentation. Thank you for your attention throughout this class, and I look forward to your upcoming seminar defences. Good luck!